

**CableLine**  
**CLI RS 5 MDCLI C 1**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com



The Weidmüller range of conductor and cable marker products provides users with solutions for the most diverse applications. The range of applications extends from narrow conductors right up to cables with large outside diameters. Among the products in the range are combination systems with individual tags, transparent sleeves, shrink-fit sleeves and markers, which can be fixed with cable ties.

**General ordering data**

|            |   |
|------------|---|
| Type       | CLI RS 5 MDCLI C 1                              |
| Order No.  | <a href="#">0648300000</a>                      |
| Version    | CableLine, Mounting mandrel, 100 x 5 mm, Silver |
| GTIN (EAN) | 4008190010546                                   |
| Qty.       | 1 pc(s).  |

## Data sheet

### CableLine CLI RS 5 MDCLI C 1

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 16  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Technical data

### Dimensions and weights

|            |        |                 |            |
|------------|--------|-----------------|------------|
| Width      | 5 mm   | Width (inches)  | 0.197 inch |
| Height     | 100 mm | Height (inches) | 3.937 inch |
| Depth      | 5 mm   | Depth (inches)  | 0.197 inch |
| Net weight | 12 g   |                 |            |

### General data

|                             |             |                        |                    |
|-----------------------------|-------------|------------------------|--------------------|
| Colour                      | Silver      | Material               | Steel              |
| Operating temperature range | -30...80 °C | Recommended industries | Process, Machinery |
| UL 94 flammability rating   | V-0         | Version                | MultiPack          |
| Width                       | 5 mm        |                        |                    |

### Conductor and cable markers

|         |     |
|---------|-----|
| Halogen | Yes |
|---------|-----|

### Classifications

|            |             |            |             |
|------------|-------------|------------|-------------|
| ETIM 3.0   | EC001530    | ETIM 4.0   | EC001288    |
| ETIM 5.0   | EC001288    | ETIM 6.0   | EC001530    |
| UNSPSC     | 30-21-18-01 | eClass 6.2 | 27-40-04-01 |
| eClass 7.1 | 27-14-91-29 | eClass 8.1 | 27-14-91-03 |
| eClass 9.0 | 27-14-91-03 | eClass 9.1 | 27-40-06-29 |

### Approvals

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

### Downloads

|                  |                       |
|------------------|-----------------------|
| Engineering Data | <a href="#">WSCAD</a> |
|------------------|-----------------------|

**Data sheet**

**CableLine  
CLI RS 5 MDCLI C 1**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 16  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

**Example of use**

